


United States Patent and Trademark Office  
- Sales Receipt -

10/04/2005 SLITTLE 00000003 012508 10723483

01 FC:1251 120.00 DA

CERTIFICATE OF FACSIMILE TRANSMISSION	
I hereby certify that this paper is being facsimile transmitted to the Patent Office at 571-273-8300 on the date below.	
Date 9-26-05	Signature 

RECEIVED  
CENTRAL FAX CENTER  
SEP 27 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:  
Andrew Robert Penman

Serial No.: 10/723,483

Confirmation No.: 9532

Filed: November 26, 2003

For: CONDUCTOR TORQUING SYSTEM

Group Art Unit: 3726

Examiner: Hong, John C.

Atty. Dkt. No.: 10286.0320.CPUS02

**RESPONSE TO AUGUST 23, 2005 RESTRICTION REQUIREMENT**

Commissioner for Patents  
P. O. Box 1450  
Alexandria, Virginia 22313-1450

Sir:

This paper is submitted in response to the Restriction Requirement dated August 23, 2005 for which the 1-month date for response was Friday, September 23, 2005. During a phone interview with Examiner Hong on Tuesday, September 27, 2005, Applicants' attorney requested a brief extension to file this response by facsimile on the same day without an extension fee in light of the evacuation of Houston, Texas (including the office of the undersigned attorney) due to Hurricane Rita. Examiner Hong indicated that he would permit this brief extension.

In an effort to move this case along, and in response to the restriction requirement which the Examiner imposed, Assignee elects to prosecute the claims of Group I corresponding to claims 1-54 and 56-63, without traverse.

DM\_US8258589.v1

The Examiner is invited to contact the undersigned attorney at 713.787.1496 with any questions, comments or suggestions relating to the referenced patent application.

Respectfully submitted,



Jeffrey J. Phillips  
Reg. No. 51,125  
Customer No. 23369  
ATTORNEY FOR ASSIGNEE,  
BJ SERVICES COMPANY

Howrey LLP  
1111 Louisiana, 25<sup>th</sup> Floor  
Houston, Texas 77002  
Phone: (713) 787-1400  
Fax: (713) 787-1440

Date: 9/27/05

DM\_US18258589.v1